

# SD60

## 6" Full screen handheld terminal

For Industrial, Healthcare, Retail, Warehouse, Logistics



### FEATURES

- ทนทานต่อแรงกระแทก, ตกพื้น, กันน้ำ/ ลม/ ฝน/ หิมะ/ ทรอย
- ทนทานในทุกสภาพอากาศ ทำงานได้ตั้งแต่อุณหภูมิต่ำ -20 °C ถึง 60 °C
- หน้าจอกว้าง 6" ภาพสวยคมชัดด้วยความละเอียด 2160x1080 HD
- GPS มีความแม่นยำสูง
- กล้องหน้า 5MP FF กล้องหลัง 13MP AF
- ดีไซน์สวย ทันสมัย จับถนัดมือ หน้าจอทัชสกรีนใช้งานได้แม้ใส่ถุงมือ
- ชาร์ตเร็ว ใช้ทน ใช้งานได้ต่อเนื่องยาวนานถึง 10 ชม. ด้วยแบตเตอรี่ขนาด 6000mAh
- มีระบบตัดเสียงรบกวนภายนอก ทำให้คุยได้ง่ายและชัดเจนแม้จะอยู่ในที่ที่เสียงดัง
- รองรับการอ่านบาร์โค้ด 1D/2D

025303809-10, 025381038, 025399352

sales@wacinfotech.com

www.wacinfotech.com

WAC RESEARCH CO.,LTD.



## SPECIFICATION

Model Name	SD60
CPU	MT6763 Octa-core 2.0GHz
OS	Android 8.1
RAM	4GB (6GB for option)
ROM	64GB
Camera	Rear 13MP AF (16MP optional) , high light LED flash; Front 5MP camera
Screen	6.0" IPS HD touch screen
Resolution	2160*1080
Touch Screen	5-point capacitive touch screen
Dimension	160mm*80mm*15.8mm
Weight (with battery)	300g
Battery capacity	6000mAh
Charging way	PE fast charge, fully charging time less than 4h
Bluetooth	BT4.1 BLE
Wi-Fi	IEEE 802.11 a/b/g/n 2.4G 5G dual band
WLAN	FDD-LTE B1/B3/B5/B7 TDD-LTE B38/B39//B40/B41 TDSCDMA B34/B39 WCDMA B1/B2/B5/B8 GSM B2/B3/B5/B8 CDMA1x/CDMA2000 BC0
GPS	GPS+BD+GLONASS
Audio	Speaker volume: 90db±3db(distance: 10cm)
Extension	Maximum 128G SD card
External interface	USB-Type C, support fast charging, OTG charging and bottom USB connector; support cradle extension
Keys	2 volumes, 2function buttons, 1power
Notification	Voice, vibration, LED light
Working temperature	-20°C ~ +60°C
Storage temperature	-30°C ~ +80°C
Working humidity	5%~95%
IP class	IP65
Drop & Tumble	6sides, 1.2m, cement floor
Electrostatic protection	±16kV air discharge, ±8kV contact discharge
Certificates	CCC、CTA
RFID (HF)	Support: ISO14443A/B, ISO15693, NFC Reading distance: 0~5cm

025303809-10, 025381038, 025399352

sales@wacinfotech.com

www.wacinfotech.com

WAC RESEARCH CO.,LTD.



<b>Barcode</b>	SD5670 option N6603 (1D&2D) :AZTEC, CODABAR, CODE11, CODE128, EAN128, CODE39, CODE49, CODE93, COMPOSITE, DATAMATRIX, EAN8, EAN13, INT25, MAXICODE, MICROPDF, PDF417, POSTNET, OCR, QR, RSS, UPCA, UPCE, ISBT, BPO, CANPOST, AUSPOST, IATA25, CODABLOCK, JAPOST, PLANET, DUTCHPOST, MSI, TLC39, TRIOPTIC, CODE32, STRT25,
<b>PSAM (SAM)</b>	Supports
<b>Sensors</b>	Geomagnetic, gravity, light Options: baroreceptor, gyroscope



025303809-10, 025381038, 025399352

sales@wacinfotech.com

www.wacinfotech.com

WAC RESEARCH CO.,LTD.

